

GPitchGate Manual

Welcome to GPitchGate

GPitchGate is a pitch-sensing gate effect. It tracks the pitch of the incoming audio and uses that to trigger a gate effect.

GPitchGate is designed to work with monophonic, melodic inputs. It's unlikely to have any useful effect on records of chords, rhythms or ensembles.

Interface



The user interface is all on one page with a handful of switches and knobs.

Inverse gate: By default, the gate will be open for pitches between the specified frequencies and closed for those outside. Engaging this switch will reverse that, muting notes inside the range and keeping those outside.

Min Freq, Max Freq: These settings define the range of notes that trigger the gate. Combined with the "inverse gate" setting, these define which notes are kept and which are muted.

Fade, Attack: These settings control how quickly the gate will open or close when triggered. The "Attack" setting controls how quickly the gate closes, and the "Fade" setting controls how long it takes for the gate to release again.

Gate Default: This switch controls how the gate behaves when no pitch is detected.

"Open" means that the input signal will pass through whenever no pitch is

detected. Only when an unwanted pitch is detected will the gate close.

"Close" indicates that the gate should be closed until a wanted pitch is detected. That note will be allowed through and the gate will close again.

"Hold" indicates that the gate will open when a wanted pitch is detected and then stay open until an unwanted note occurs. Then the gate will stay closed until a wanted note is detected.

Hints and ideas

- GPitchGate can be used to filter out, or pick out, selected notes in a recorded phrase.
- This could be used in an effect chain to send specific notes on to a delay, for example.

Installation

I've always aimed to ensure that the GVST plug-ins are each a single file and as compact as I could make them.

For simple plug-ins like these, installation usually boils down to copying a file, so I've never created any automated installers. I know some people would prefer an installer, so apologies for the extra hassle, but hopefully it won't be too difficult.

The installation process will vary for different hosts and different operating systems, but I'll try to cover the basics below.

32-bit or 64-bit (Windows and Linux)

The Windows and Linux plug-ins come in 32- and 64-bit versions. Generally speaking you will need the one that matches the host software you're running.

If you're not sure, you can usually tell if you look at the "About" screen, which can usually be found in one of the application menus.

Taking Audacity as an example: at the time of writing you can find the necessary detail in the "Build Information" tab of its "About" screen.

If all else fails, you could try both and see which works. These days 32-bit

applications are becoming increasingly rare, so try the 64-bit version first.

General installation

1. All GVST plug-ins come compressed in a `.ZIP` file, so the first step is to extract the files from the `.ZIP` file.
2. Once extracted, you should have a plug-in file - on Windows it will be a `.DLL` file, on Mac a `.VST` file, and on Linux a `.SO` file.
3. You will need to copy the plug-in file to the appropriate folder for your host program and possibly configure the host software to find it.
4. Many hosts will allow you to specify a folder on your computer where it should look for plug-ins. For example, in the Preferences in Audacity for Windows or Mac, you can add extra locations for VST plugins.
5. In most cases, you will need either to restart the host program or re-scan the plug-in folder in order for newly-installed plug-ins to appear.
6. The exact process will depend on the software you're using. You should be able to find specific instructions by searching the Internet, e.g. "How to install a VST plugin in Cubase".

Special/default plug-in locations

On a Linux machine, the convention is to locate VST plug-ins under the `~/.vst` directory. I have all the GVST plug-ins copied into `~/.vst/GVST`.

Similarly, there is a common location for audio plug-ins on a Mac:

`~/Library/Audio/Plug-Ins`. I copy all the GVST plug-ins into

`~/Library/Audio/Plug-Ins/VST`.

It's usually more convenient to place the plug-ins in a location of your choosing and point your host software to it, if that's supported by the application.

License

1. GVST plug-ins are provided to the user at no cost. While every GVST plug-in is tested to the best of the developer's ability, no warranty or guarantee is offered to the end user.

2. No suggestions made by the developer or his representatives (i.e., freely offered support) are to be taken as an implied warranty or guarantee.
3. These plug-ins may only be distributed by the official GVST website, or by parties explicitly given permission by the developer.
4. GVST plug-ins are to be distributed only in their original form as intended by the developer (i.e., the unaltered archive).
5. GVST plug-ins are freeware, meaning you are never under any obligation to pay for them! However, should you wish to help support continued development of GVST software, please consider donating through the official website.
6. GVST plug-ins can be used freely to create and process audio for private or commercial works.

In a nutshell, the code's all mine, but any music or sounds you create using GVST plug-ins is all yours. Of course, if you hit the big time then do feel free to pop back and donate a little something.

Credits

- Plug-in development, website and graphics by Graham Yeadon.
- A special mention to Rick "grymmjack" Christy and Greg Pettit who helped me with the UI design and documentation early on.
- VST technology copyright Steinberg GmbH.
- The "VST" name and logo are registered trademarks of Steinberg GmbH.
- "Windows" is a registered trademark of Microsoft Corporation.
- "Mac" and "OSX" are trademarks of Apple Inc.